ELSEVIER

Neuroscience Letters 359 (2004) 199–201

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 359

Aboufatima, R., Chait, A., Dalal, A., Zyad, A., de Beaurepaire, R., No tolerance to the antinociceptive action of calcitonin in rats and mice, 5
Almeida, A., see Pinto-Ribeiro, F., 73
Ambrogini, P., Orsini, L., Mancini, C., Ferri, P., Ciaroni, S., Cuppini, R., Learning may reduce neurogenesis in adult rat dentate gyrus, 13
Argiolas, A., see Melis, M.R., 17
Arima, H., see Ishizaki, S., 77
Arima, K., see Umeda, Y., 151
Asanuma, T., Inanami, O., Tabu, K., Waki, K., Kon, Y., Kuwabara, M., Protection against malonate-induced ischemic brain injury in rat by a cell-permeable peptidic c-Jun N-terminal kinase inhibitor, (L)-HIV-TAT_{48-57}-PP-JBD_{20}, observed by the apparent diffusion coefficient mapping magnetic resonance imaging method, 57

Bagdy, G., see Graf, M., 45
Bandmann, O., see Möller, J.C., 195
Banno, R., see Ishizaki, S., 77
Barc-Pain, S., see Barrier, L., 114
Barhum, Y., see Lev, N., 139
Barrier, L., Barc-Pain, S., Stadelmann-Ingrand, S., Bestel, E., Fauconneau, B., Page, G., Lactic acidosis progressively impairs dopamine uptake in rat striatal synaptosomes by a mechanism partially independent of the Na^+/K^+-ATPase dysfunction, 114
Beart, P.M., see Mercer, L.D., 109
Bennett, D.A., see Wang, D.-S., 104
Bergenheim, M., Ribot-Ciscar, E., Roll, J.-P., Thunberg, J., Spontaneous bursting neuronal discharges recorded from peripheral nerve in human: injury discharges or not?, 1
Bestel, E., see Barrier, L., 114
Birklein, F., see Leis, S., 163
Bodles, A.M., El-Agnaf, O.M.A., Greer, B., Guthrie, D.J.S., Irvine, G.B., Inhibition of fibril formation and toxicity of a fragment of α-synuclein by an *N*-methylated peptide analogue, 89
Brankačk, J., see Sambeth, A., 143

Casagrande, S., see Luccardini, C., 25
Cerqueira, J., see Pinto-Ribeiro, F., 73
Chadalavada, S., see Csete, M., 124
Chait, A., see Aboufatima, R., 5
Chang, J.W., see Kim, S.T., 69
Cho, H.Y., see Park, S., 99
Chung, K.S., see Park, S., 99
Ciaroni, S., see Ambrogini, P., 13
Cochran, E., see Wang, D.-S., 104
Csete, M., Rodriguez, L., Wilcox, M., Chadalavada, S., Erythropoietin receptor is expressed on adult rat dopaminergic neurons and erythropoietin is neurotrophic in cultured dopaminergic neuroblasts, 124
Cupello, A., see Luccardini, C., 25
Cuppini, R., see Ambrogini, P., 13

Dalal, A., see Aboufatima, R., 5
de Beaurepairé, R., see Aboufatima, R., 5
de Silva, R., see Hope, A.D., 94
Depboylu, C., see Möller, J.C., 195
Deviterne, D., see Jamet, M., 61
Dickson, D.W., see Wang, D.-S., 104
Dluzen, D.E., The effect of gender and the neurotrophin, BDNF, upon methamphetamine-induced neurotoxicity of the nigrostriatal dopaminergic system in mice, 135
Dodel, R.C., see Möller, J.C., 195
Du, Y., see Möller, J.C., 195

Ebihara, S., see Funada, M., 190
El-Agnaf, O.M.A., see Bodles, A.M., 89

Fauconneau, B., see Barrier, L., 114
Ferri, P., see Ambrogini, P., 13
Foster, A.M., Sengelaub, D.R., Hormone sensitivity of muscle activation in the sexually dimorphic SNB/BC neuromuscular system of the rat, 41
Fujimoto, Y., see Nakanishi, K., 198
Funada, M., Yasuo, S., Yoshimura, T., Ebihara, S., Sasagawa, H., Kitagawa, Y., Kadowaki, T., Characterization of the two distinct subtypes of metabotropic glutamate receptors from honeybee, *Apis mellifera*, 190

Gasser, T., see Möller, J.C., 195
Gauchard, G.C., see Jamet, M., 61
Gocke, P., see Möller, J.C., 195
Graf, M., Jakus, R., Kantor, S., Levay, G., Bagdy, G., Selective 5-HT_{1A} and 5-HT_7 antagonists decrease epileptic activity in the WAG/Rij rat model of absence epilepsy, 45
Greer, B., see Bodles, A.M., 89
Grobin, A.C., Lieberman, J.A., Morrow, A.L., Perinatal flunitrazepam exposure causes persistent alteration of parvalbumin-immunoreactive interneuron localization in rat prefrontal cortex, 9
Guthrie, D.J.S., see Bodles, A.M., 89

Hasegawa, M., see Umeda, Y., 151
Hashimoto, I., see Tanosaki, M., 175
Hayashi, E., Kuroiwa, Y., Omoto, S., Kamitani, T., Li, M., Koyano, S., Visual evoked potential changes related to illusory perception in normal human subjects, 29
He, J.J., see Zhou, B.Y., 155
Honda, M., see Okada, T., 119
Hong, H.N., see Kim, S.T., 69
Hope, A.D., Lashley, T., Lees, A.J., de Silva, R., Failure in heat-shock protein expression in response to UBB^{+1} protein in progressive supranuclear palsy in humans, 94
Hori, A., see Okazawa, M., 33
Hosokawa, H., see Okazawa, M., 33
Hwang, O., see Kim, S.T., 69

doi:10.1016/S0304-3940(04)00321-0

Inanami, O., see Asanuma, T., 57
Ino, M., see Takahashi, E., 37
Inoue, W., see Okazawa, M., 33
Irvine, G.B., see Bodles, A.M., 89
Ishida, O., see Nakanishi, K., 198
Ishii, M., see Ohba, N., 159
Ishizaki, S., Murase, T., Sugimura, Y., Banno, R., Arima, H., Miura, Y., Oiso, Y., Leukemia inhibitory factor stimulates vasopressin release in rats, 77
Iwase, Y., see Nakanishi, K., 198
Iwatsubo, T., see Umeda, Y., 151

Jakus, R., see Graf, M., 45
Jamet, M., Deviterne, D., Gauchard, G.C., Vançon, G., Perrin, P.P., Higher visual dependency increases balance control perturbation during cognitive task fulfilment in elderly people, 61

Kadowaki, T., see Funada, M., 190
Kamitani, T., see Hayashi, E., 29
Kanit, L., see Yalcin, A., 65
Kantor, S., see Graf, M., 45
Kato, M., see Kiriyama, K., 130
Kim, E.Y., see Park, S., 99
Kim, H., see Lee, K.J., 21
Kim, S.T., Chang, J.W., Hong, H.N., Hwang, O., Loss of striatal dopaminergic fibers after intraventricular injection of tetrahydrobiopterin in rat brain, 69
Kim, T.S., see Lee, K.J., 21
Kim, Y.S., see Park, S., 99
Kirino, Y., see Watanabe, S., 147
Kiriyama, K., Warabi, T., Kato, M., Yoshida, T., Kobayashi, N., Progression of human body sway during successive walking studied by recording sole–floor reaction forces, 130
Kiryu-Seo, S., see Ohba, N., 159
Kitagawa, Y., see Funada, M., 190
Kiyama, H., see Ohba, N., 159
Klockgether, T., see Möller, J.C., 195
Kobayashi, N., see Kiriyama, K., 130
Kobayashi, S., see Okazawa, M., 33
Kölsch, H., see Möller, J.C., 195
Kon, Y., see Asanuma, T., 57
Kouya, P.F., Xu, X.-J., Buprenorphine reduces central sensitization after repetitive C-fiber stimulation in rats, 127
Koyano, S., see Hayashi, E., 29
Kubota, K., see Sadato, N., 49
Kuroiwa, Y., see Hayashi, E., 29
Kuwabara, M., see Asanuma, T., 57

Lao, L., see Zhang, R.-X., 85
Lashley, T., see Hope, A.D., 94
Lee, H.T., see Park, S., 99
Lee, K., see Nicholson, R., 180
Lee, K.J., Kim, H., Kim, T.S., Park, S.-H., Rhyu, I.J., Morphological analysis of spine shapes of Purkinje cell dendrites in the rat cerebellum using high-voltage electron microscopy, 21
Lee, K.S., see Park, S., 99
Lee, Y.J., see Park, S., 99
Lees, A.J., see Hope, A.D., 94
Leis, S., Weber, M., Schmelz, M., Birklein, F., Facilitated neurogenic inflammation in unaffected limbs of patients with complex regional pain syndrome, 163
Lev, N., Barhum, Y., Melamed, E., Offen, D., Bax-ablation attenuates experimental autoimmune encephalomyelitis in mice, 139
Levay, G., see Graf, M., 45
Levin, O., Steyvers, M., Wenderoth, N., Li, Y., Swinnen, S.P., Dynamical changes in corticospinal excitability during imagery of unimanual and bimanual wrist movements in humans: a transcranial magnetic stimulation study, 185
Li, M., see Hayashi, E., 29
Li, Y., see Levin, O., 185
Lieberman, J.A., see Grobin, A.C., 9
Lim, J., see Park, S., 99
Lohmüller, F., see Möller, J.C., 195
Luccardini, C., Casagrande, S., Cupello, A., Pellistri, F., Ramoino, P., Robello, M., The combined disruption of microfilaments and microtubules affects the distribution and function of $GABA_A$ receptors in rat cerebellum granule cells in culture, 25
Luo, J., Shi, R., Diffusive oxidative stress following acute spinal cord injury in guinea pigs and its inhibition by polyethylene glycol, 167

Maeda, M., see Ohba, N., 159
Maes, J.H.R., see Sambeth, A., 143
Malsnee, K., see Zhang, R.-X., 85
Mancini, C., see Ambrogini, P., 13
Mann, D., see Umeda, Y., 151
Mascia, M.S., see Melis, M.R., 17
Mashiko, T., see Nakanishi, K., 198
Matsumura, K., see Okazawa, M., 33
Melamed, E., see Lev, N., 139
Melis, M.R., Succu, S., Mascia, M.S., Argiolas, A., Antagonism of cannabinoid CB1 receptors in the paraventricular nucleus of male rats induces penile erection, 17
Mercer, L.D., Beart, P.M., Immunolocalization of CCK_1R in rat brain using a new anti-peptide antibody, 109
Miura, Y., see Ishizaki, S., 77
Miyamoto, N., see Takahashi, E., 37
Möller, J.C., Depboylu, C., Kölsch, H., Lohmüller, F., Bandmann, O., Gocke, P., Du, Y., Paus, S., Wüllner, U., Gasser, T., Oertel, W.H., Klockgether, T., Dodel, R.C., Lack of association between the interleukin-1 alpha (− 889) polymorphism and early-onset Parkinson's disease, 195
Morrow, A.L., see Grobin, A.C., 9
Mufson, E., see Wang, D.-S., 104
Muraoka, M., see Ohba, N., 159
Murase, T., see Ishizaki, S., 77

Nagasu, T., see Takahashi, E., 37
Nakanishi, K., Mashiko, T., Fujimoto, Y., Tanaka, N., Iwase, Y., Ishida, O., Ochi, M., Corrigendum to "Wide-range visualization of compound nerve action magnetic fields in the human median and ulnar nerves from the forearm to Erb's point" [Neuroscience Letters 356 (2004) 151–153], 198
Nicholson, R., Spanswick, D., Lee, K., Nitric oxide inhibits NMDA currents in a subpopulation of substantia gelatinosa neurons of the adult rat spinal cord, 180
Nowicka, A., Szatkowska, I., Memory-induced modulation of event-related potentials in frontal cortex of human subjects: a divided visual field study, 171

Ochi, M., see Nakanishi, K., 198
Oertel, W.H., see Möller, J.C., 195
Offen, D., see Lev, N., 139

Ohba, N., Kiryu-Seo, S., Maeda, M., Muraoka, M., Ishii, M., Kiyama, H., Transgenic mouse overexpressing the Akt reduced the volume of infarct area after middle cerebral artery occlusion, 159
Oiso, Y., see Ishizaki, S., 77
Okada, T., Honda, M., Okamoto, J., Sadato, N., Activation of the primary and association auditory cortex by the transition of sound intensity: a new method for functional examination of the auditory cortex in humans, 119
Okada, T., see Sadato, N., 49
Okamoto, J., see Okada, T., 119
Okazawa, M., Inoue, W., Hori, A., Hosokawa, H., Matsumura, K., Kobayashi, S., Noxious heat receptors present in cold-sensory cells in rats, 33
Omoto, S., see Hayashi, E., 29
Orsini, L., see Ambrogini, P., 13

Page, G., see Barrier, L., 114
Park, S., Lee, K.S., Lee, Y.J., Shin, H.A., Cho, H.Y., Wang, K.C., Kim, Y.S., Lee, H.T., Chung, K.S., Kim, E.Y., Lim, J., Generation of dopaminergic neurons in vitro from human embryonic stem cells treated with neurotrophic factors, 99
Park, S.-H., see Lee, K.J., 21
Paus, S., see Möller, J.C., 195
Pêgo, J.M., see Pinto-Ribeiro, F., 73
Pellistri, F., see Luccardini, C., 25
Perrin, P.P., see Jamet, M., 61
Piao, Y.-S., see Umeda, Y., 151
Pinto-Ribeiro, F., Almeida, A., Pêgo, J.M., Cerqueira, J., Sousa, N., Chronic unpredictable stress inhibits nociception in male rats, 73

Qiao, J.-T., see Zhang, R.-X., 85

Ramoino, P., see Luccardini, C., 25
Rhyu, I.J., see Lee, K.J., 21
Ribot-Ciscar, E., see Bergenheim, M., 1
Robello, M., see Luccardini, C., 25
Rodriguez, L., see Csete, M., 124
Rola, R., Szulczyk, P., Kinetic properties of voltage-gated Na^+ currents in rat muscular sympathetic neurons with and without adenosine triphosphate and guanosine triphosphate in intracellular solution, 53
Roll, J.-P., see Bergenheim, M., 1
Ruda, M.A., see Zhang, R.-X., 85

Sadato, N., Okada, T., Kubota, K., Yonekura, Y., Tactile discrimination activates the visual cortex of the recently blind naive to Braille: a functional magnetic resonance imaging study in humans, 49
Sadato, N., see Okada, T., 119
Sambeth, A., Maes, J.H.R., Brankačk, J., With long intervals, inter-stimulus interval is the critical determinant of the human P300 amplitude, 143
Sasagawa, H., see Funada, M., 190
Schmelz, M., see Leis, S., 163
Sengelaub, D.R., see Foster, A.M., 41
Shi, R., see Luo, J., 167
Shimozono, S., see Watanabe, S., 147
Shin, H.A., see Park, S., 99
Sousa, N., see Pinto-Ribeiro, F., 73
Sozmen, E.Y., see Yalcin, A., 65
Spanswick, D., see Nicholson, R., 180
Stadelmann-Ingrand, S., see Barrier, L., 114
Steyvers, M., see Levin, O., 185
Succu, S., see Melis, M.R., 17
Sugimura, Y., see Ishizaki, S., 77
Swinnen, S.P., see Levin, O., 185
Szatkowska, I., see Nowicka, A., 171
Szulczyk, P., see Rola, R., 53

Tabu, K., see Asanuma, T., 57
Takahashi, E., Ino, M., Miyamoto, N., Nagasu, T., Expression analysis of P/Q-type Ca^{2+} channel α_{1A} subunit mRNA in olfactory mitral cell in N-type Ca^{2+} channel α_{1B} subunit gene-deficient mice, 37
Takahashi, H., see Umeda, Y., 151
Tanaka, N., see Nakanishi, K., 198
Taniguchi, S., see Umeda, Y., 151
Tanosaki, M., Hashimoto, I., Serial N20m dipoles in somatosensory evoked magnetic fields move along the distal-proximal representation of the digit area 3b of the human cortex, 175
Thunberg, J., see Bergenheim, M., 1
Traub, R.J., Wang, G., Colonic inflammation decreases thermal sensitivity of the forepaw and hindpaw in the rat, 81

Umeda, Y., Taniguchi, S., Arima, K., Piao, Y.-S., Takahashi, H., Iwatsubo, T., Mann, D., Hasegawa, M., Alterations in human tau transcripts correlate with those of neurofilament in sporadic tauopathies, 151

Vançon, G., see Jamet, M., 61

Waki, K., see Asanuma, T., 57
Wang, D.-S., Bennett, D.A., Mufson, E., Cochran, E., Dickson, D.W., Decreases in soluble α-synuclein in frontal cortex correlate with cognitive decline in the elderly, 104
Wang, G., see Traub, R.J., 81
Wang, K.C., see Park, S., 99
Warabi, T., see Kiriyama, K., 130
Watanabe, S., Shimozono, S., Kirino, Y., Optical recording of oscillatory neural activities in the molluscan brain, 147
Weber, M., see Leis, S., 163
Wenderoth, N., see Levin, O., 185
Wilcox, M., see Csete, M., 124
Wüllner, U., see Möller, J.C., 195

Xu, X.-J., see Kouya, P.F., 127

Yalcin, A., Kanit, L., Sozmen, E.Y., Altered gene expressions in rat hippocampus after kainate injection with or without melatonin pre-treatment, 65
Yasuo, S., see Funada, M., 190
Yonekura, Y., see Sadato, N., 49
Yoshida, T., see Kiriyama, K., 130
Yoshimura, T., see Funada, M., 190

Zhang, R.-X., Lao, L., Qiao, J.-T., Malsnee, K., Ruda, M.A., Endogenous and exogenous glucocorticoid suppresses up-regulation of preprodynorphin mRNA and hyperalgesia in rats with peripheral inflammation, 85
Zhou, B.Y., He, J.J., Proliferation inhibition of astrocytes, neurons, and non-glial cells by intracellularly expressed human immunodeficiency virus type 1 (HIV-1) Tat protein, 155
Zyad, A., see Aboufatima, R., 5